Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	· 0	715/526.ccls. and (brows\$4 with card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:40
L2	0	715/526.ccls. and (brows\$4 same card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:40
L3	12	715/526.ccls. and (brows\$4 and card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:40
L4	61416	brows\$3 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:41
L5	32111	brows\$3 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:41
L6	1122	brows\$3 same display and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:41
L7	739	brows\$3 with display and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:42
L8	20	(brows\$3 with display) same card\$1 and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:42
S1	0	("browseand@ad<20010626").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:55

585 268/60

S2	40340	brows\$4 and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:55
S3	906	(brows\$4 with card) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:56
S4	19	(brows\$4 adj card\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:07
S5	0	(brows\$4 adj card\$1) same (command with button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:58
S6	0	(brows\$4 adj card\$1) same (command same button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:00
S7	0	(brows\$4 adj card\$1) same (command same button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:01
S8	6	(brows\$4 adj card\$1) and (command and button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:01
S9	750 .	(brows\$4 and card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:08
S10	65	(brows\$4 with card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:39
S11	3	(brows\$4 adj card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030164856"	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:29
S2	0	document\$5 same (object adj model) same (infromation adj asset)same consistent same structure same (browse adj card) same (glance adj view)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:33
53	0	document\$5 same (object adj mode!) same (infromation adj asset)same consistent	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:33
S4	790	document\$5 same (object adj model)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:34
S5	4	document\$5 same (object adj model)same asset	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 19:13
S6	8	document\$5 same (object adj model) same display same view	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:36
S7	265	document\$5 same (object adj model) same information	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:37
58	5	document\$5 same (object adj model) same information same consistent	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 16:58
S9	14	document\$5 same (object adj model) same consistent	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:40
S10	2	document\$5 same (object adj model) same glance	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 18:32
S11	47	document\$5 same (object adj model) same view	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:40
S12	1	"6356920".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:47
S13	1	"6467052".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:49
S14	1	"6430624".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:53
S15	1	"6647410".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/16 21:53

Search History 8/16/05 4:34:50 PM Page 1 C:\Documents and Settings\KLu\My Documents\EAST\Workspaces\09892385.wsp

.

•

S16	55	glance adj view	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 13:12
S17	_ 0	display same time same order\$3 same(glance adj view)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 13:03
S18	1	display same order\$3 same(glance adj view)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 13:03
S19	1	"6006227".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:17
S20	8	browse adj card	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 13:15
S21	0	(small adj window)same display same conetent same document	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 16:59
S22	0	(window)same display same conetent same document	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 16:59
S23	265	(window)same display same content same document	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 16:59
S24	6	(small adj window)same display same content same document	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 17:00
S25	0	"display in real time"	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 18:33
S26	43	display same (real adj time) same view same document	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 18:40
S27	1	"6243724".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 18:43
S28	1261	document same object same model	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:13
.S29	128	document same (object adj oriented) same model	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 18:53
S30	0	cursor same display same small same window same glance	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 19:14
S31	200	cursor same display same small same window	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/17 19:14

S32	0	(object adj oriented) same (consisten\$2 adj structur)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 08:33
S33	0	(object adj oriented) same (consisten\$2 same structur)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 08:34
S34	0	(objectsame oriented) same (consisten\$2 same structur)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 08:34
S35	0	(object) same (consisten\$2 same structur)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 08:34
S36	15142	(object) same (consisten\$2)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 08:34
S37	36	((object) same (consisten\$2)) same structure same class	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 08:35
S38	1	"6006227".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:25
S39	1	"5542086".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:44
S40	1	"5784620".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:25
S41	0	"459035".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:45
S42	0	"458035".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:45
S43	1	"4586035".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 09:45
S44	1263	document same object same model	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:14
S45	37	707/1.ccls. and (document same object same model)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:15
S46	56	707/10.ccls. and (document same object same model)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:18
S47	1	707/205.ccls. and (document same object same model)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:19

S48	0	707/501.1.ccls. and (document same object same model)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:19
S49	13	707/200.ccls. and (document same object same model)	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:19
S50	6	("5542086" or "5784620" or "4586035" or "6006227" or "6243724" or "5586237").pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/12/18 11:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("browseand@ad<20010626").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:55
L2	40340	brows\$4 and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:55
L3	906	(brows\$4 with card) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:56
L4	19	(brows\$4 adj card\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:07
L5	• 0	(brows\$4 adj card\$1) same (command with button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:58
L7	0	(brows\$4 adj card\$1) same (command same button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON <u>.</u>	2005/08/16 13:00
L8	0	(brows\$4 adj card\$1) same (command same button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:01
L9	6	(brows\$4 adj card\$1) and (command and button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:01
L10	750	(brows\$4 and card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:08

.1

L11	65	(brows\$4 with card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:58
L12	3	(brows\$4 adj card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:08
L13	196	bin adj component	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:58
L14	164	(bin adj component) and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:58
L15	0	(bin adj component) with (meta adj data) and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:59
L16	0	(bin adj component) same (meta adj data) and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:59
L17	0	(bin adj component) same (meta\$1data) and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:59
L18	0	(bin adj component) and (meta\$1data) and @ad < "20030121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:59